

Access Strategy

for the Built Environment

MF SERVICES

mfservices.ie

Contents

Welcome 3

Healthcare Doors 4

Hermetic Doors 5

Airflow Controlled Doors 6

GRP Doors 7

Steel & Riser Doors 8

Steel Doors 9

Internal Steel Doors 10

External Steel Doors 11

Riser Doors 12

Steel Glazed Doors 13

Fire Doors 14

Automatic Doors 15

Automatic Sliding Doors 16

Automatic Telescopic Doors 17

Curved Sliding Doors 18

Fire Rated Sliding Doors 19

Breakout Sliding Doors 20

Automatic Swing Door Systems 21

Ironmongery 22

Randi - Designed For Architects 23

Locks, Closers & Panic Hardware 24

Floor Springs, Hinges & Swing Door Operators 25

Electronic Hotel Lock Systems 26

Ironmongery Scheduling 27

Project Maintenance 28

Project Consultation 29

Our Clients 30

Notes 31

Contact 32

WELCOME

Who We Are

For over 40 years, MF Services has delivered access solutions for the built environment — including doors, ironmongery, locking, automation, and monitoring systems.

We approach each project as a defined brief, combining product supply with local technical expertise and nationwide service support. **At MF Services, we remain your trusted partner for quality and continuity.**

MF SERVICES

Complete Systems

Doors, locking, automation, and monitoring delivered as one coordinated package.

Separate Supply

Individual products available to suit specification and procurement needs.

Nationwide Support

Post-handover support is maintained through our service team.

CPD Portfolio

Targeted professional learning for design and specification teams.





ABOUT

Healthcare Doors

Airtight, easy to clean, and consistently controlled — MF Services supplies specialist door solutions for infection control, safety, and compliance in operating theatres, ICUs, cleanrooms, and pharmaceutical laboratories.

Hermetic Doors

Fully airtight four-sided seal to EN 12207 - EN 1026 Class L4. Lead-lined versions are available.

Airflow-Controlled Doors

Three-sided hygienic seal with adjustable positive or negative pressure airflow.

GRP Doors

Waterproof, non-porous, and non-shedding — suited to cleanrooms and critical areas.

HEALTHCARE DOORS

Hermetic Doors

Our Hermetic Sliding door creates a fully airtight seal through the movement of the leaf towards the wall and towards the floor in its closing cycle, creating a 4-sided seal. Designed for use in environmentally controlled rooms in hospitals, laboratories, and manufacturing facilities. Also available as lead-lined.

Glazing panels can be both X-ray and laser-proofed, depending on the application. A wide variety of activation and safety devices are available. Full access control and interlocking/theatre control panel integration are available.



HERMETIC PERFORMANCE

Fully hermetic as per EN 12207 - EN 1026 Class L4.

LEAF OPTIONS

HPL leaf, fully glazed leaf, GRP leaf.

SIZE OPTIONS

Single up to 1800mm wide x 2500mm high. Double up to 3000mm wide x 2500mm high.

SPECIAL VERSIONS

Fire-rated and lead-lined for radiation protection and
X-ray areas.

GLAZING OPTIONS

Fully glazed flush, vision panel, integrated blinds, laser-proof vision panel. Lead-lined vision panel. Smart glass (full or panel).

COLOURS

10–15 standard colours or 1000's of special-order HPL/RAL finishes.

OPERATION OPTIONS

Manual or fully automatic with push pads, touch free wave switches, or access control readers.

Airflow Controlled Doors



Our Airflow Controlled Sliding door enables a hygienic seal to be created when the door closes through a 3-sided seal in its closing cycle.

The seal allows air to flow out of the critical area under positive pressure and prevents the ingress of air in negative pressure. A floor seal can be provided to augment performance. Also available as lead-lined.

Glazing panels can be both X-ray and laser proofed depending on the application. A wide variety of activation and safety devices are available. Full access control and interlocking/theatre control panel integration are available.

PERFORMANCE

Adjustable airflow in positive and negative pressure.

LEAF OPTIONS

HPL leaf, fully glazed leaf, GRP leaf.

SIZE OPTIONS

Single up to 1800mm wide x 2500mm high. Double up to 3000mm wide x 2500mm high. Larger doors available on request.

SPECIAL VERSIONS

Fire-rated and lead-lined for radiation protection and X-ray areas.

GLAZING OPTIONS

Fully glazed flush, vision panel, integrated blinds, laser-proof vision panel. Lead-lined vision panel. Smart glass in full-glazed or vision panel.

COLOURS

Range of 10-15 standard colours with the option of 1000's of special order colours. based on HPL finish or RAL finish for glazed and GRP leaves.

OPERATION OPTIONS

Manual or fully automatic with a range of activation options including push pads, touch-free wave switches or access control readers.

GRP Doors

Our fully sealed GRP Doors provide a hygienic, contamination-free solution for healthcare and pharmaceutical facilities. Made from waterproof, non-porous, non-shedding materials, they are ideal for clean rooms and critical area environments. Door leaves are 40mm thick, pressure-moulded, and available as single or double doors.

GRP doors can be supplied as manual or automatic sliding doors and swing door sets. Glazed vision panels can be fire-rated, X-ray or laser-proofed depending on the application, with privacy panels also available. Fire-rated options up to FD120 are offered, along with a selection of internal frame options, including steel.



MATERIAL

40mm thick, fully sealed, pressure - moulded GRP.

HYGIENE

Waterproof, non-porous, non-shedding for contamination control.

OPERATION

Manual or automatic sliding and swing doors.

GLAZING

Fire-rated, X-ray, laser-proof, or privacy vision panels

FIRE RATING

Internal door and frame sets up to FD120.

FRAMES

Multiple options available, including steel.



ABOUT

Steel & Riser Doors

Certified to EI 120, RC4 security class, and available made-to-order up to 4170 × 4080mm — MF Services supplies steel fire doors for internal and external applications where performance, compliance, and finish are non-negotiable.

Internal

Fire-rated steel construction with rockwool infill, certified to EI 120 and powder coated to any RAL colour.

External

Fire-rated and thermally insulated to U-value 1.1 W/m²k, double-rebated frames with RC3 security rating for demanding perimeter applications.

Riser

Made-to-order concealed access up to 5800mm, fire-rated and flush-finished for seamless integration.

STEEL & RISER DOORS

Steel Doors



Our Specialist Steel Doors are engineered for strength, safety, and compliance across commercial, industrial, healthcare, and education environments. A continuous reinforced steel core with double-skin construction resists warping, impact, and wear. Fire-rated models are certified to EI30, EI60, and EI120, with security ratings up to Class RC3.

Available as single or double leaf sets in fire-resistant, acoustic, security, blast-resistant, louvred, and standard configurations. Locking ranges from mechanical latches to multi-point and electronic access control. A complete selection of powder-coated finishes, glazing, ventilation grilles, and brushed stainless steel detailing allows specification to match any architectural scheme.

FIRE DOOR CONFIGURATIONS

Internal and external fire-rated, fire-insulated, and non-fire-rated doors.

STEEL SLIDING & GLAZED SYSTEMS

Specialist steel sliding doors, steel profile glazed doors and screens.

CERTIFIED SUPPLY & INSTALL

Full CE certification and industry qualified installation.

HARDWARE FLEXIBILITY

Wide range of hardware options.

INTEGRATED ELECTRONIC LOCKING

Factory-fitted electronic locking solutions.

FULL AUTOMATION AVAILABLE

Optional automation for total door solutions.

STEEL & RISER DOORS

Internal Steel Doors

Our Internal Door programme offers a range of innovative, fully compliant internal steel doors in a variety of finishes and details to suit your application.

We specialise in fully insulated fire-rated doors and can achieve up to EI 120. We can also achieve up to EI 240 minutes integrity only.

All our doors are covered by European Technical Assessments or field of application reports based on comprehensive fire and performance testing by EU-notified bodies.



FIRE RESISTANCE

60, 120, or 240 minutes, tested to BS 476 (Parts 20 & 22) and EN 1634.

CUSTOM MADE

Made-to-measure dimensions with custom panel layouts and designs.

HARDWARE

Supplied fully assembled with hardware.

PANELS

Options for vision panels, louvre panels, side panels, and over panels.

HARDWARE RANGE

Includes locks, latches, and panic hardware.

FINISHES

Range of finishes available.

External Steel Doors



We provide a range of innovative, fully compliant CE-marked external steel doors in a variety of finishes and details to suit your application.

Our fully insulated doors can achieve U-values as low as 0.98 W/m²k on some models.

For applications where security is a priority, we can supply doors up to RC4 classification, complete with access control locks and panic hardware. Full automation can also be provided to enable barrier-free access.

SECURITY RATING

Up to RC4.

U-VALUES

2.2 – 0.98 W/m²k.

SIZES

Up to 2500mm wide × 2508mm high (standard) or 4000mm wide × 4000mm high (OS).

FIRE RATINGS

EI 30 – 240 minutes (Integrity)
EI 30 – 120 minutes (Integrity & Insulation).

VISION PANELS

Insulated or non-insulated, fire-rated up to 120 minutes.

OPERATION

Mechanical locking or access control with electronic locks.

AUTOMATION

Full EN 16005 compliance on fire-rated & non fire-rated doors.

LOUVRE OPTIONS

Range of configurations available.

STEEL & RISER DOORS

Riser Doors

Our concealed riser doors are engineered to meet the highest standards of fire safety acoustic performance, and design flexibility.

They combine functionality with a seamless finish to ensure both compliance and aesthetic appeal. Available in steel or timber, with multiple configurations and finish options.

They provide secure, reliable, and discreet access to the building's main service areas on each floor. They are used in commercial, hospitality, education, industrial, and healthcare.



FIRE PROTECTION

Certified up to 120 minutes, ensuring compliance with building regulations.

CONSTRUCTION OPTIONS

Available in steel for durability in high-traffic areas, or timber for projects prioritising natural aesthetics.

ACOUSTIC PERFORMANCE

Steel doors tested to achieve sound attenuation of up to 41 dB.

FINISHES

Supplied in a range of standard or bespoke finishes, with options to receive tiles or third-party finishes.

SIZE CAPABILITY

Creates access openings up to 5840mm wide x 2960mm high.

CONFIGURATIONS

Available as single, double, or multi-leaf systems, with up to six leaves.

FRAME SOLUTIONS

Choice of partially or fully concealed frames, designed in 3- or 4-sided configurations.



ABOUT

Steel Glazed Doors

Glazed steel profile systems for doors, partitions, and window sections — MF Services supplies and installs fire-rated and non-fire-rated steel glazed solutions, certified to EN 1634-1, ENV 1627, and PAS 24:2016, with Secured by Design approval available on specified configurations.

Glazed Doorsets

Fire-rated steel profile doorsets tested to EN 1634-1, offering up to 90 minutes integrity and 60 minutes insulation. Single or double leaf, with finger-trap gaskets and certified hardware as standard.

Glazed Wall Sections

Fully glazed steel profile partition systems for corridors, stairwells, and reception areas. Tested up to EI120 on wall sections to 3.3m height, ideal for fire cell partitioning in evacuation routes.

Glazed Sliding Doors

Type-approved 30/30 fire-resistant glazed sliding doors to EN 1634-1, operated by Besam Unislide. Maximum section 10m x 3m, with door leaves up to 1250mm and bi-parting openings to 2210mm.

Fire & Security Combined

Type-approved systems combining fire resistance with intruder resistance to RC3 and RC4 (ENV 1627). PAS 24:2016 certified, with multipoint locking and EN 356 burglary-resistant glass.

Ballistic & Acoustic Options

Ballistic resistance from FB3NS to FB7NS (BS EN 1522) and acoustic reduction up to 55dB. Specified for embassies, banks, prisons, and high-security commercial environments.

Profile Range

Door leaf and frame profiles at 30, 50, and 85mm. Narrow 20mm and wide 85, 130, 180, and 260mm profiles available. Profile depths adjustable to 65, 70, or 90mm to suit specification.

STEEL GLAZED DOORS

Fire Doors

Our Fire Doors slow the spread of fire and smoke, protecting corridors, stairwells, and escape routes. The GLAS-DOR glazed steel profile system is tested to EN 1634-1, delivering up to 120 minutes on wall sections, 90 minutes on doorsets, and 30 minutes on sliding configurations. Combined fire and security resistance is available to RC3 and RC4, with PAS 24:2016 certification and Secured by Design approval on specified configurations.



FIRE PROTECTION

Tested to EN 1634-1, up to 120 minutes integrity and insulation across all configurations.

CONSTRUCTION OPTIONS

Steel profile systems with insulated or non-insulated cores; leaf and frame profiles at 30, 50, and 85mm.

SECURITY RESISTANCE

Intruder resistance to RC3 and RC4 (ENV 1627), PAS 24:2016, and Secured by Design.

ACOUSTIC PERFORMANCE

Acoustic reduction up to 55dB for offices, hospitals, hotels, and education environments.

SIZE CAPABILITY

Wall sections to 3.3m height; sliding sections to 10m x 3m with openings to 2210mm.

CONFIGURATIONS

Glazed doorsets, sliding doors, wall and window sections — single, double, or bi-parting.

PROFILE RANGE

Narrow 20mm and wide 85, 130, 180, and 260mm profiles; depths 65, 70, or 90mm.

FINISHES

Polyester powder-coated, brushed or polished stainless steel, or unfinished.



ABOUT

Automatic Doors

From sliding and telescopic to swing and healthcare-grade specialist doors — MF Services design, install, and maintain automatic door systems nationwide, fully compliant with EN 16005 and backed by ADSA membership and PSA licence.

Automatic Sliding Doors

Single and double leaf aluminium sliding doors for high-traffic entrances. Available in thermally broken, slim frame, and full toughened glass configurations.

Automatic Telescopic Doors

Where space is limited but a wide clear opening is required. Two or more leaves slide and stack to one side, maximising the usable entry width.

Automatic Curved Doors

Elegant curved sliding doors for prestige entrances in hotels, corporate, and healthcare settings. Fully automated with the same operator reliability as standard sliding systems.

Fire Rated Sliding Doors

Automatic sliding door sets certified for fire resistance, maintaining barrier-free access under normal use and closing automatically on alarm activation.

Breakout Sliding Doors

Our fail-safe breakout doors allow the leaves to swing fully outward in an emergency, providing a wide unobstructed escape route when it matters most.

AUTOMATIC DOORS

Automatic Sliding Doors



The RS range of sliding doors offers a flexible and powerful automatic operator that can be coupled with a wide range of door leaves and screens to form secure, barrier-free entrance systems for any building.

Configurations include single, double, telescopic, and break-out types depending on requirements. All systems are installed and commissioned to the EN 16005 standard by our certified technicians.

SIZES

Single up to 1800mm wide × 3100mm high. Double up to 3400mm wide × 3100mm high.

LEAF OPTIONS

G38, G50 thermally broken, G25 slimline, or third-party doors.

GLAZING

Fully glazed (single/double), partial with infill, or unglazed (G25 single only).

SECURITY

Electronic or mechanical locking with access control.

COLOURS

10–15 standard or thousands of RAL/NCS finishes.

OPERATION

Automatic with radar, push pads, wave switches, or access control.

SPECIAL VERSIONS

Reinforced or flush-mount headers.

FIRE BEHAVIOUR

Links to fire alarms for fail-safe activation.

AUTOMATIC DOORS

Automatic Telescopic Doors

The RS telescopic door range provides larger openings within a smaller footprint, as the leaves slide over each other during operation, requiring less side screen or wall space.

Available as single sliding to one side or double sliding to both sides, with 2 or 3 leaves per side, these doors combine flexibility and efficiency.

All systems are installed and commissioned to EN 16005 standards by our certified technicians.



SIZES

2-leaf up to 4500mm × 3100mm. 3-leaf up to 4500mm × 3100mm.

LEAF OPTIONS

G38, G50 thermally broken, G25 slimline, or third-party.

GLAZING

Fully glazed, partial with infill, or unglazed (G25 single only).

SECURITY

Electronic or mechanical locking with access control.

COLOURS

10–15 standard or thousands of RAL/NCS finishes.

OPERATION

Automatic with radar, push pads, wave switches, or access control.

HEADERS

Reinforced or flush-mount headers.

FIRE

Fail-safe activation via fire alarm.

AUTOMATIC DOORS

Curved Sliding Doors



Our curved sliding doors create a striking entrance system while providing safe, barrier-free access and, if required, functioning as a fire escape route.

Each door is bespoke, designed, and fabricated to suit your specific entrance needs and dimensions. Available as single (sliding to one side) or double (sliding to both sides), these doors combine style with functionality.

SIZE OPTIONS

Single up to 1800mm wide × 3100mm high. Double up to 2400mm wide × 3100mm high.

LEAF OPTIONS

G38 profile or G25 slimline profile.

CONFIGURATION

Half circle (1 set of doors) or full circle (2 sets of doors) in various radii.

GLAZING OPTIONS

Fully glazed (single or double units), partially glazed with infill panel, or unglazed (G25 single glazed only).

COLOURS

10–15 standard colours or thousands of special-order finishes based on RAL or NCS.

OPERATION OPTIONS

Automatic with radar, push pads, touch-free wave switches, or access control readers.

SECURITY OPTIONS

Electronic or mechanical locking with access control integration available.

FIRE BEHAVIOUR

Doors can be linked to fire alarms for fail-safe operation.

Fire Rated Sliding Doors

The RS fire rated sliding door range provides certified fire protection for high-traffic internal and external openings, combining the RS Flex operator with fire-rated leaves, seals, and glazing. Available with EI30 and EI60 ratings to EN 1634-1.

In the event of fire, a mechanical counterweight closes the door automatically while still allowing manual egress. Available in single and double-leaf configurations, installed and commissioned to EN 16005 by our certified technicians.



SIZE OPTIONS

Single up to 1550mm wide × 2500mm high. Double up to 2400mm wide × 3100mm high.

LEAF OPTIONS

Fire-rated profile.

GLAZING OPTIONS

Fully glazed Contraflam by Saint-Gobain.

SPECIAL VERSIONS

Side screens and fanlights.

COLOURS

10–15 standard colours or thousands of special-order finishes based on RAL or NCS.

OPERATION OPTIONS

Automatic with radar, push pads, touch-free wave switches, or access control readers.

SECURITY OPTIONS

Electronic or mechanical locking with access control integration available.

FIRE BEHAVIOUR

Doors can be linked to a fire alarm for mechanical closure on activation.

AUTOMATIC DOORS

Breakout Sliding Doors



The RS breakout sliding door range is designed for emergency exits, operating as a standard sliding door in normal use. Under pressure in the escape direction, the leaf — and in full breakout versions, the side screens — swing fully outward, clearing the entire opening for unobstructed egress and full compliance with fire escape requirements.

Ideal for conference centres, concert venues, and hospitality environments, the breakout system is available across all straight sliding door ranges including single, double, and telescopic configurations.

STANDARD SLIDING DOORS

Single up to 1200mm wide × 3100mm high. Double up to 2400mm wide × 3100mm high.

GLAZING OPTIONS

Fully glazed in single or double-glazed units, partially glazed with an infill panel, or unglazed.

LEAF OPTIONS

G38 profile.

TELESCOPIC DOORS

2-leaf system up to 2000mm. 4-leaf system up to 4000mm.

COLOURS

10–15 standard colours or thousands of special-order finishes based on RAL or NCS.

OPERATION OPTIONS

Automatic with radar, push pads, touch-free wave switches, or access control readers.

SECURITY OPTIONS

Electronic or mechanical locking with access control integration available.

FIRE BEHAVIOUR

Doors can be broken out manually for escape. An emergency contact prevents activation when in the breakout position.

AUTOMATIC DOORS

Automatic Swing Door Systems

A complete swing door system including door leaf, or operator only retrofit to an existing door — with a choice of ETS 42 or ETS 73 installed above the door to automate both opening and closing, improving flow and eliminating the need to touch handles.



Certified to EN 1634 and available in aluminium, steel, steel profile, GRP, or timber to suit any fire rating requirement, with a full choice of hardware and electronic locking. Supplied as a complete certified system with full installation, commissioning, and ongoing service support.

LOCATION

Suitable for indoor and outdoor use, including emergency exits.

OPERATION

Push or pull arms, with right or left opening.

CONFIGURATION

Single or double door sets.

LOAD CAPACITY

Handles heavy panels up to 250kg.

COMPLIANCE

Certified to EN 16005.



ABOUT

Ironmongery

Precision-specified and sourced from leading European manufacturers — MF Services supplies a complete range of ironmongery including Randi, ECO-Schulte, Dormakaba, and Consort, matched to every door type and application across your project.

Premium European Hardware

Comprehensive range of premium European hardware products from leading manufacturers.

Fully Integrated Solutions

Complete compatibility with MF Services' doors, security, and automation systems.

Nationwide Support

Installation, preventive maintenance, and reactive emergency response available across Ireland.

Expert Specification

In-depth expertise in matching the right products to every door type and application.

Certified Quality

Fully certified, high-quality hardware solutions for commercial and industrial applications.

Randi - Designed For Architects



Randi has shaped Scandinavian hardware design since 1948. The range includes lever handles, pull handles, coat hooks, door stops, and sanitary fittings developed with architects.

MF Services is Randi's only Premium Partner in Ireland. We stock the main Randi-Line® ranges in high-grade stainless steel or brass with PVD- coated finishes.

Randi provides a 70-year design guarantee and a 25- year operational guarantee.

A selection of our Randi range...

Randi



Classic Lever 1060

CFMøller —
Ø16 mm polished brass or stainless steel



Wing Lever 1074

AART —
Aircraft-wing profile in brass or satin stainless steel



Square Lever 1075

Friis & Moltke —
Combination of satin stainless steel and black composite



Nordic Straight 1068

Lars Vejen —
Birchbark insert with antibacterial material

IRONMONGERY

Locks, Closers & Panic Hardware

MF Services supplies a comprehensive range of high-quality door function systems — locks, closers, handles, panic devices, hinges and electronic locks — sourced from leading European manufacturers and rigorously tested and certified to the relevant EN standards.



MF Services partners with the major European hardware manufacturers; ECO-Schulte, Dorma, Geze, Consort — supplying certified product for every door type.

A selection of our products...

Lock Systems

GBS 81 severe-duty locks and GBS 90 auto-deadbolting panic locks. CHL725 series includes euro sash, deadlock, bathroom, and latch variants — CE marked, EN 12209, fire-door rated.



Cylinder Systems

RS6 and SP6 master key systems with 6-pin anti-pick and anti-drill protection. Available from single to multi- level master keying, with extensions for padlocks, riser doors, and gates.



Door Closers

TS 61, TS 41, TS 50, TS 14, and FTS III Free Swing. EN 1154 CE marked, sizes EN 2–6. ITS Multi-Genius and ITS 420 are also available.



Panic Hardware

Dorma PHA 2000, PHB 3000, P 9000, and P 9000MLR. ECO Guardian EPN 900/950/2000 — CE marked to EN 1125, suitable for fire-rated doors up to 1500 mm wide.



IRONMONGERY

Floor Springs, Hinges & Swing Door Operators



Concealed floor springs, precision hinges, and swing door operators — specified and supplied by MF Services to complete any door set. Our floor springs suit all door types with DIN left or right and single or double action. Our hinge range covers ball bearing, thrust bearing, concealed, and high load capacity variations, ensuring doors perform correctly over their full service life. Swing door operators integrate fully with building management systems and are available in silver and a range of PVD-coated finishes.

Floor Springs

Dorma BTS75 —up to 160kg. BTS EMB 80 Hold Open — up to 300kg. Consort CFS544.DA — heavy duty, up to 150kg. Single- and double-action; DIN left/right.



Hinges

ECO Horizon OBN-14-R-C — up to 200kg, 50-year warranty, EN 1935 Grade 14+. Consort CBH102-105 — up to120kg, 200,000 cycles, Grade 13.



Swing Door Operators

ETS42 — slimline, up to 150kg. ETS 73 — heavy duty, up to 350kg and 1M+ cycles. Fire-rated, access control integration, EN 16005 compliant.



IRONMONGERY

Hotel Locks

Contactless, connected, and fully manageable — MF Services supplies electronic hotel lock systems including card, smartphone, and code access, providing the security and flexibility required across hotels, guesthouses, and hospitality facilities.

Supported by a 24/7 team



OS Slim True Smartlock

Card or smartphone access. OS Access cloud software. Wireless gateway. Scalable installation.



EVO Bluetooth Lock

Minimalist profile. Interchangeable handles. Card or smartphone access. Cloud-based management.



Gaudi 2 Mifare Lock

Card or smartphone access. Handheld encoder management. Smart Pass server software.
Suitable for hotels and guesthouses.



ABOUT

Ironmongery Scheduling



From early design through to handover — MF Services provides comprehensive ironmongery scheduling for architects, contractors, and end-users, delivering detailed illustrated schedules that coordinate hardware, security, and automation systems for a smooth, compliant project workflow.

Every ironmongery schedule is door-by-door, fully illustrated, and coordinated with security and automation systems.

Our Services Include...

- ✓ Detailed hardware schedules for all door types and access points.
- ✓ Specification and certification documentation for compliance and tender purposes.
- ✓ Take-off documents and estimating support for main contractors.
- ✓ Integration with door, security, and automation systems to ensure cohesive design.
- ✓ Colour, finish, and functionality coordination to meet project requirements.
- ✓ Ongoing support for updates, changes, and post-installation handover.

ABOUT

Project Maintenance

From project completion onwards — MF Services provides full maintenance schedules and Service Level Agreements across all supplied and installed products. Our nationwide teams deliver both preventative maintenance and reactive emergency response — covering not only MF Services hardware, access control, and automation systems but third-party products too.

One service partner for every door, lock, and automation system on your project — regardless of supplier.



Our Services Include...

- ✓ Maintenance schedules for all hardware items.
- ✓ Service Level Agreements available.
- ✓ Nationwide preventative maintenance.
- ✓ Reactive emergency response.
- ✓ Support for MF Services and third-party systems.

ABOUT

Project Consultation



From early design through to handover — MF Services partners with architects, contractors, and end-users from initial specification to final commissioning, delivering coordinated door, automation, and security solutions through a single point of accountability across every stage of the project.

Every project is led by a dedicated specialist, ensuring seamless coordination between design, supply, installation, and long-term support.

Our Services Include...

- ✓ Early-stage support and technical specification for architects and project teams.
- ✓ Site surveys, feasibility assessments, and value-engineering reviews.
- ✓ Coordinated supply across door, automation, access control, and security systems.
- ✓ Project management with single-point accountability from order through handover.
- ✓ Certified installation and commissioning by our in-house specialist technicians.
- ✓ Aftercare, maintenance, and 24/7 nationwide service support post-handover.

OUR CLIENTS

Trusted By

Feidhmeannacht na Seirbhíse Sláinte
Health Service Executive

DUNNES STORES

MERCURY

collen 200
building excellence since 1810

An Roinn Talmhaíochta, Bia agus Mara
Department of Agriculture, Food and the Marine

Bon Secours

TESCO

THE MATER HOSPITAL

Liffey Valley

Kilkenny County Council
Comhairle Chontae Chill Chainnigh

Hovione

THE BREHON
KILLARNEY

"MF Services played a key role in the successful delivery of the Primary Care project in Roscrea. Their team demonstrated exceptional professionalism, reliability, and technical expertise from start to finish.Their commitment to quality workmanship was evident throughout the project, and the attention to detail exceeded our expectations."

— Joe Power
Project Manager, Townmore

"MF Services were fantastic to work with from start to finish. Their team delivered a modern, high-quality solution. We were impressed by their professionalism throughout the project; they ensured everything was completed efficiently and to the highest standard."

— Pat Sheehan
Technical Services Director,
Mater Private, Cork

Notes

CONTACT

Let's talk.

Whether you're specifying a single door set or a complete nationwide project, our team is on hand to match the right hardware, doors, locking and automation to every application.

We hold stock in Cork and operate a nationwide service team for installation, preventive maintenance and reactive emergency response.

Contact us for technical specification support, CPD presentations, or to request samples.

HQ CORK

Unit 26/27 Doughcloyne Industrial Estate, Wilton, Co. Cork, Ireland.

KILDARE

Monread Industrial Estate, Monread Rd, Monread North, Naas, Co. Kildare, W91 R2XW

SECTORS SERVED

Healthcare
Construction
Government
Hospitality
Retail
Pharma
Facilities Management

EMAIL

contact@mfservices.ie

WEB

mfservices.ie

TELEPHONE

+353 21 434 8996

CERTIFICATIONS

ISO 9001 Certified. PSA Licensed. CE-certified product range.

FOUR DECADES OF DELIVERING

Founded 1985. Trusted by architects, engineers, and facilities managers on Ireland's most demanding projects.

MF SERVICES